

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL AFFIXED TO THE CONTAINER FOR WARRANT HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

Use of Warrant Herbicide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container and in this supplemental labeling for Warrant Herbicide.

It is a violation of federal law to use this product in any manner inconsistent with its labeling. The labeling must be in the possession of the user at the time of herbicide application. This supplemental label expires on June 1, 2021 and must not be used or distributed after this date.



EPA Reg. No. 524-591

WARRANT, Roundup, Roundup Ready, and Roundup Ready Plus are trademarks of Monsanto Technology LLC. All other trademarks are the property of their respective owner.

ACETOCHLOR	GROUP	15	HERBICIDE
------------	-------	----	-----------



SHAKE WELL BEFORE USING

For Postemergence Applications in Alfalfa, including Roundup Ready Alfalfa

Keep Out of Reach of Children.

CAUTION!

In case of an emergency involving this product, call collect, day or night, 314-694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of herbicide application.

See the "Product Information" and "Mixing, Spraying, and Handling Instructions" sections of the main label booklet for Warrant Herbicide for additional product use restrictions and essential product performance information.

Read the "Limit of Warranty and Liability" in the label booklet for Warrant Herbicide before using. These terms apply to this supplemental label and

if these terms are not acceptable, return the product unopened at once.

This product, when applied postemergence in newly seeded or established stands of alfalfa, including Roundup Ready alfalfa, will provide preemergence control or reduced competition of the annual weeds listed in the "WEEDS CONTROLLED" section of the label booklet. If weeds are emerged at the time of application, apply a labeled postemergence herbicide with this product to control the emerged weeds. Observe the directions for use, precautions, and restrictions on the label of the postemergence herbicide.

Do not use this product on alfalfa grown for seed production.

Approved Application Systems

Ground: Broadcast boom

Aerial: Fixed-wing and helicopter. **Allowed in selected states only - see Aerial Application Equipment section of the main label booklet for additional information.**

Approved Application Methods

Postemergence Surface (In-crop):

New Stand Establishment (Seeding Year):

This product may be applied broadcast over top of the alfalfa stand according to the rate table listed below.

For fall-planted alfalfa, including Roundup Ready alfalfa, this product may be applied at 1.25 to 2 quarts per acre up to or at the 4th-trifoliate stage following emergence of the new stand, or following green-up or re-growth the following spring. Wait a minimum of 20 days after application before cutting for forage or hay, or before open grazing of forage by livestock.

For spring-planted alfalfa, including Roundup Ready alfalfa, this product may be applied at 1.25 to 2 quarts per acre up to or at the 4th-trifoliate stage following emergence of the new stand. Wait a minimum of 20 days after application before cutting for forage or hay, or before open grazing of forage by livestock.

After either the first or second cutting in the seeding year, but no later than 7 days after the cutting, a sequential application of this product may be made at 1.25 to 2 quarts per acre. Wait a minimum of 20 days between application and cutting for forage or hay, or before open grazing of forage by livestock.

Application of this product followed by conditions that do not foster adequate stand growth or which cause stress (cold, wet soils), waterlogged conditions, excessive irrigation or rainfall, may result in crop injury. The user is responsible to ensure that the alfalfa stand is at a desirable level before using Warrant Herbicide. If Warrant Herbicide has been applied and the alfalfa stand fails due to adverse weather or any other reasons, replanting alfalfa or sugar beets is not recommended. See the

“Rotational Crops” section of the main label booklet for this product for a list of crops that may be replanted immediately.

Established Alfalfa Stands (Non-Seeding Year):

This product may be applied postemergence (in-crop) after spring green-up in established stands of all varieties of alfalfa, including Roundup Ready alfalfa. This product may be applied broadcast over top of the alfalfa stand according to the rate table listed below.

Applications of this product may be made between cuttings, and no later than 7 days after a cutting, at a rate of 1.25 to 2 quarts per acre. Wait a minimum of 20 days after application before cutting for forage or hay, or before open grazing of forage by livestock. Remove any previously cut forage or hay from the field before making applications.

The user should take care to ensure that stand is at a desirable level before using Warrant Herbicide. If Warrant Herbicide has been applied and the stand fails due to adverse weather or any other reasons, replanting alfalfa or sugar beets is not recommended. See the “Rotational Crops” section of the main label booklet for this product for a list of crops that may be replanted immediately.

TANK MIXTURES:

This product may be applied **postemergence** to alfalfa in a tank-mix with the following products to expand weed control spectrum or for control of emerged weeds at the time of application. Ensure that the specific product being used in the tank mixture is registered for application postemergence (in-crop) in alfalfa. Read and follow label directions of all products in the tank mixture. The most restrictive label directions apply. The user is responsible for ensuring that the specific application being made is included on the labeling of the tank mixture product being used.

2,4-DB, clethodim, glyphosate (Roundup Ready® alfalfa), imazamox, imazethapyr; Pursuit®, Raptor®, Roundup® Brand Agricultural Herbicides (Roundup Ready® alfalfa), Select® Max

Application of Warrant Herbicide in tank mixture with products not recommended on this label or to soils where other applications of soil applied herbicides have been made, may increase the potential for injury with this product.

RESTRICTIONS:

Do not use this product on alfalfa grown for seed production.

Remove domestic livestock from alfalfa stands before making applications of this product.

Allow a minimum of 20 days between an application and subsequent cutting for forage or hay, or before open grazing of forage by livestock.

Do not exceed a maximum of 2 quarts (1.5 lbs a.i.) per acre of this product as a single application.

Do not exceed a total of 3 applications of this product per alfalfa growing season.

Do not exceed a combined total of 4 quarts (3 lbs a.i.) per acre per year in newly established stands (seeding year) or in established alfalfa stands (non-seeding year), when making multiple applications of this product or other acetochlor containing products.

SOIL TEXTURAL GROUP	BROADCAST APPLICATION RATES PER ACRE*					
	Less than 1.5% Organic Matter (quarts)			1.5% or More Organic Matter (quarts)		
Coarse	1.25	to	1.6	1.25	to	1.7
Medium	1.25	to	1.7	1.25	to	1.9
Fine	1.25	to	1.9	1.25	to	2.0

* Use the higher rate in the range for areas of heavy weed infestation.

©2018
MONSANTO COMPANY
800 N. LINDBERGH BLVD.
ST. LOUIS, MISSOURI 63167 USA
06/20/2018

36067S2-48